Roller Door Control Unit

RDC Vision+

S11456-00001

The RDC Vision+ motor control is suitable for roller doors in both domestic and commercial settings. RDC Vision+ offers you a high level of convenience and safety during installation, set-up and operation. Versatile settings and expansion options open up a whole new range of possibilities.

RDC Vision+ ▶

SOMloq2 MADE IN GERMANY

- Bidirectional radio system
- 128-bit AES encryption with Rollingcode
- Disturbance-resistant radio signal
- Integrated LED lighting
- Supports service interface SOMlink S2

Technical data

Type	RDC Vision+
Radio system	SOMloq2
Radio frequency	FM 868.95 MHz
Radio memory locations	40
Rated voltage	220-240 V
Rated frequency	50-60 Hz
IP code	IP21
Temperature min.	-25 °C
Temperature max.	65 °C
Dimensions	288x160x75 mm

Roller Door Control Unit

RDC Vision+

S11456-00001

Dimension drawing



All dimensions are in millimetres.

Compatibility

Product Name	Product Type	Compatible
SOMweb	Smart Home Solution	with RDC Vision+ from CW 46/2020 and software version 01.40
Telecody Courier	Handheld Transmitter	yes
Delta Dore X3D-Modul	Smart Home Module	with RDC Vision+ from CW 46/2020 and software version 01.40

Downloads

	Filename	Filetype
PDF	Assembly Instructions **RDC-Vision-plus_S11707-00001_EN.pdf ▶**	pdf
PDF	Brochure **RDC-Vision-plus_S12187-00002.pdf ▶**	pdf
	CadData **CAD_RDC-Vision-plus.zip ▶**	zip

Roller Door Control Unit

RDC Vision+

S11456-00001

Matching accessories

Pearl Vibe | black/red
4-Command Handheld Transmitter

4019V000

RDC Vision+ connection set

S10848-00003

Memo
Memory Extension

10373

Senso
Humidity Sensor

10371

Buzzer
Alarm/Warning Buzzer

7043V000

Relay
Additional Relay

7042V000



Output OC
Open Collector Output

S10854-00001